

0457.12

Classic 60s Gear Oil

SAE 90

Lubricant for gearboxes, differentials and mechanical transmissions of classic cars built between '50s and '70s.

PAKELO CLASSIC 60s GEAR OIL SAE 90 is a monograde mineral based lubricant specific for gearboxes, differentials and mechanical transmissions of classic car built between '50s and '70s.

The particular performance additive package confers high anti-oxidative, anti-rust, anti-wear, anti-foam and EP (Extreme Pressure) properties, excellent anti-corrosion protection and full compatibility with materials used at that time.

PAKELO CLASSIC 60s GEAR OIL SAE 90 offers:

- excellent anti-oxidative, anticorrosion, anti-rust, anti-foam, EP properties;
- reduction in wear and fully compatibility with synchronizers (also made of molybdenum or bronze) and the correct friction coefficient;
- contrasts efficiently the formation of lacquers, sludge, and deposits;
- compatibility with gaskets, also at high temperatures: this enabling the product to operate efficiency without oil losses.

0457.12

Classic 60s Gear Oil

SAE 90

Application fields

PAKELO CLASSIC 60s GEAR OIL SAE 90 is suitable gearboxes (also synchronized), differentials and mechanic transmissions in general of classic car built between '50s and '70s.

Livelli di prestazione

API GL-4 / GL-5.

Chemical-Physical Characteristics

Classic 60s Gear Oil	Method analysis	Unit measure	Value SAE 90
Density at 15°C	ASTM D1298	kg/l	0,900
Kinematic Viscosity at 40°C	ASTM D445	cSt	149,0
Kinematic Viscosity at 100°C	ASTM D445	cSt	14,8
Viscosity Index	ASTM D2270	-	99
Flash Point (C.O.C.)	ASTM D92	°C	202
Pour Point	ASTM D97	°C	-20

The data just above refer to average values and must not be understood as guaranteed characteristics.

This Technical Data Sheet has been carefully checked to guarantee complete and precise information. However, we do not take any responsibility in case of damages caused by any mistakes or omissions. Due to continual product research and development, the information contained herein is subject to change without notification.